

APR 27 2010

**510(k) Summary**

---

<b>Introduction</b>	According to the requirements of 21 CFR 807.92, the following information provides sufficient detail to understand the basis for a determination of substantial equivalence.
---------------------	--

---

<b>Submitter name, address, contact</b>	<p>Roche Diagnostics 9115 Hague Road, P.O. Box 50416 Indianapolis, IN 46250-0416 317-521-3577</p> <p>Contact Person: Kelly Colleen O'Maine Adams Phone: 317-521-3577 Fax: 317-521-2324 Email: <a href="mailto:colleen.adams@roche.com">colleen.adams@roche.com</a></p> <p>Secondary Contact: Stephanie Greeman Phone: 317-521-2458 Fax: 317-521-2324 Email: <a href="mailto:stephanie.greeman@roche.com">stephanie.greeman@roche.com</a></p> <p>Date Prepared: December 29, 2009</p>
---	--

---

<b>Device Name</b>	<p>Proprietary name: Elecsys Folate III CalCheck 5 Common name: Folate CalCheck 5 Classification name: Single (specified) analyte controls (assayed and unassayed)</p>
--------------------	--

---

<b>Predicate device</b>	The Elecsys Folate III CalCheck 5 is substantially equivalent to other products in commercial distribution intended for similar use. We claim equivalency to the currently marketed Elecsys HCG+ $\beta$ CalCheck 5 (K092168).
-------------------------	--

---

<b>Device Description</b>	The Elecsys Folate III CalCheck 5 is a lyophilized product consisting of Folate in human serum matrix. During manufacture, the analyte is spiked into the matrix at the desired concentration levels.
---------------------------	---

---

<b>Intended use</b>	The Elecsys Folate III CalCheck 5 is an assayed control for use in calibration verification and for use in the verification of the assay range established by the Elecsys Folate III reagent on the indicated Elecsys and cobas e immunoassay analyzers.
---------------------	--

---

*Continued on next page*



DEPARTMENT OF HEALTH & HUMAN SERVICES

---

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Mail Center – WO66-0609  
Silver Spring, MD 20993-0002

Roche Diagnostics  
c/o Kelly Colleen O'Maine Adams  
Regulatory Affairs Consultant  
9115 Hague Road  
P.O. Box 50416  
Indianapolis, IN 46250-0416

APR 27 2010

Re: k094031  
Trade Name: Elecsys Folate III CalCheck 5  
Regulation Number: 21 CFR §862.1660  
Regulation Name: Quality Control Material (assayed and unassayed)  
Regulatory Class: Class I, Reserved  
Product Codes: JJX  
Dated: March 10, 2010  
Received: March 11, 2010

Dear Mrs. O'Maine Adams:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of *In Vitro* Diagnostic Device Evaluation and Safety at (301) 796-5450. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometric's (OSB's) Division of Postmarket Surveillance at (301) 796-5760. For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or ( 301 ) 796-5680 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

A handwritten signature in black ink, appearing to be 'CCH' followed by a long horizontal stroke.

Courtney C. Harper, Ph.D.  
Director  
Division of Chemistry and Toxicology  
Office of *In Vitro* Diagnostic Device  
Evaluation and Safety  
Center for Devices and Radiological Health

Enclosure

## Indication for Use

510(k) Number (if known): K094031

Device Name: Elecsys Folate III CalCheck 5

Indication For Use:

The Elecsys Folate III CalCheck 5 is an assayed control for use in calibration verification and for use in the verification of the assay range established by the Elecsys Folate III reagent on the indicated Elecsys and **cobas e** immunoassay analyzers.

Prescription Use X  
(21 CFR Part 801 Subpart D)

And/Or

Over the Counter Use \_\_\_\_  
(21 CFR Part 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE; CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostic Device Evaluation and Safety (OIVD)

Carol Benson

Division Sign-Off  
Office of In Vitro Diagnostic Device  
Evaluation and Safety

510(k) K094031